



**ARMOR ALL PROFESSIONAL**  
 Acuity Specialty Products Group, Inc.  
 P.O. BOX 2015  
 ATLANTA, GA 30301  
 1 (866) 276-6725

# Hoja de Datos de Seguridad del Material

## e Información de Dirección Segura de la Disposición

### Sección 1. Identificación del producto y de la compañía

**Nombre del producto** AA-603 High Shine Tire Dressing

**Código del producto** M390 **Fecha de emisión** 04/21/03

**Versión** 1.00 **Supersedes**

**Uso del producto** preparación neumático

**Teléfonos de Emergencia** **For MSDS Information:**  
 Armor All Customer Service  
 1 (866) 276-6725

**For Medical Emergency:**  
 INFOTRAC  
 (877) 541-2016 Toll Free - All Calls Recorded

**For a Transportation Emergency:**  
 CHEMTREC  
 (800) 424-9300 - All Calls Recorded  
 in the District of Columbia (202) 483-7616

**Fecha de impresión** 04/21/03

**Preparada por** Compliance Services Group  
 Acuity Specialty Products Group  
 1420 Seaboard Industrial Blvd.  
 Atlanta, GA 30318

### Sección 2. Composición e información sobre los ingredientes

Nombre de ingredientes peligrosos	Número de CAS	% en peso	Límites de exposición
1) OSHA'S Hazard Communication Standard (29 CFR 1910.1200) does not require the listing of any ingredients for this product.			

### Sección 3. Identificación de los riesgos

**Efectos agudos** **Vías de absorción** Ninguno.

**Piel** No se conocen efectos agudos de este producto como resultado del contacto con la piel.

**Ojos** No se conocen efectos agudos de este producto como resultado del contacto ocular.

**Inhalación** No es probable que haya inhalación bajo condiciones normales de uso.

**Ingestión** No se conocen efectos agudos de este producto como resultado de su ingestión.

HMIS	
Salud	0
Riesgo de incendio	0
Reactividad	0
Protección personal	--

**Efectos cancerígenos** Ingredientes: No está en lista como carcinógeno por OSHA, NTP o IARC.

**Efectos crónicos** No hay efecto conocido debido a una exposición crónica a este producto.

**Vea la sección 11 para la Información Toxicológica**

### Sección 4. Primeros auxilios

**Contacto con los ojos** En caso de contacto con los ojos, lavar inmediatamente con agua abundante. Obtenga atención médica si se desarrolla irritación.

**Contacto con la piel** Enjuagar abundantemente con agua corriente. Obtenga atención médica si se desarrolla irritación.

**Inhalación** No es probable que haya inhalación bajo condiciones normales de uso.

**Ingestión** No está considerado como tóxico para humanos. Si se han ingerido grandes cantidades de este material, llame a un médico inmediatamente.


### Sección 5. Medidas de extinción de incendios

**Punto de inflamación** No aplicable. **Límites de inflamabilidad** No aplicable.

**Inflamabilidad** No aplicable.

**Riesgo de incendio** No aplicable.

**Procedimientos de lucha contra incendios** Ninguno.



### Sección 6. Medidas a tomar en el transcurso de derrames accidentales

**Derrame Ordenar** Absorber con un material inerte y colocar en un contenedor de eliminación de desechos apropiado. Desechar de conformidad con todas las normativas federales, estatales y locales aplicables.

### Sección 7. Manejo y almacenaje

**Manipulación** No se requieren medidas especiales.

**Almacenamiento** Manténgase el recipiente bien cerrado. Almacenar entre 40°F - 120°F. Proteja contra la congelación.

**Sección 8. Controles de exposición/protección personal****Protección personal****Ropa de protección (Pictogramas)**

**Ojos** Ninguna protección especial es requerida.  
**Cuerpo** No se necesitan ropas protectores especiales.  
**Respiratoria** Ninguna protección especial es requerida.

**Sección 9. Propiedades físicas y químicas**

**Estado físico** Líquido. (disolvente)  
**pH** 5.5 - 7.0  
**Punto de ebullición** 100°C (212°F)  
**Peso específico** 0.99 (Agua = 1)  
**Solubilidad** Emulsifica en agua.

**Color** Milky-white  
**Olor** Inodoro.  
**Presión de vapor** No disponible.  
**Densidad de vapor** No disponible.  
**Índice de evaporación** 1 comparado con Agua  
**VOC (Consumidor)** 0.0%

**Sección 10. Datos sobre la estabilidad y la reactividad**

**Estabilidad y reactividad** El producto es estable.  
**Incompatibilidad** Ninguno identificado.  
**Polimerización peligrosa** No se producirá.  
**Productos de descomposición peligrosos** Dióxido de Carbono, Monóxido de Carbono y Otro las sustancias orgánicas.

**Sección 11. Información toxicológica**

**Toxicidad en los animales** No aplicable.

**Sección 12. Información sobre la ecología**

**Ecotoxicidad** No disponible.  
**Biodegradable/OECD** No disponible.

**Sección 13. Consideraciones en el momento de la eliminación**

**Información sobre los desechos** Los desperdicios deben ser desechados de acuerdo con las regulaciones federales, estatales y de control ambiental local. No contamine el agua limpiando el equipo o desechando desperdicios.  
**Corriente de desperdicio** Código: - (Ninguno.)  
Clasificación: - (No es un desecho peligroso)

**Consultar a las autoridades locales o regionales.**

**Sección 14. Información sobre el transporte**

**Nombre de envío adecuado** No aplicable.  
**Clasificación DOT** Sustancia no reglamentada por el DOT (Estados Unidos).  
**Número ONU** No regulado.

**Sección 15. Informaciones reglamentarias**

**Regulaciones Federales de EUA** SARA 313 notificación de emisión de sustancias químicas tóxicas: No se encontraron productos.  
Acta de limpieza del agua (CWA) 311: No se encontraron productos.  
Acta de limpieza del aire (CAA) 112 sustancias tóxicas reguladas: No se encontraron productos.

**Reglamentaciones estatales** California prop. 65: No se encontraron productos.

**Sección 16. Datos complementarios**

*A nuestro leal saber y entender, la información aquí contenida es exacta. No obstante, ni el proveedor antedicho ni ninguna de sus subsidiarias asumen responsabilidad alguna en cuanto a la exactitud o integridad de la información contenida. La determinación final relativa a la idoneidad de todo material es responsabilidad exclusiva del usuario. Todos los materiales pueden presentar peligros desconocidos y deben usarse con cautela. Si bien aquí se describen ciertos peligros, no podemos garantizar que éstos sean los únicos que existan.*

# MATERIAL SAFETY DATA SHEET

## NOTICE

Thank you for your interest in, and use of, this product. Acuity Specialty Products Group is pleased to be of service to you by supplying this Material Safety Data Sheet for your files. Acuity Specialty Products Group is concerned for your health and safety. This product and all others supplied by Acuity Specialty Products Group companies can be used safely with proper protective equipment and proper handling practices consistent with label instructions and the MSDS. Before using any this product, be sure to read the complete label and the Material Safety Data Sheet.

As a further word of caution, Acuity Specialty Products Group wishes to advise that serious accidents have resulted from the misuse of "emptied" containers. "Empty" containers retain residue (liquid and/or vapor) and can be dangerous. DO NOT pressurize, cut, weld, braze, solder, drill, grind or expose such containers to heat, flame, sparks, or other sources of ignition; they may explode or develop harmful vapors and possibly cause injury or death. Clean empty containers by triple rinsing with water or an appropriate solvent. Empty containers must be sent to a drum reconditioner before reuse.

## TERMS AND ABBREVIATIONS Listed Alphabetically by Section

### SECTION II: HAZARDOUS INGREDIENTS

**CAR:** Carcinogen - A chemical listed by the National Toxicology Program (NTP), the International Agency for Research on Cancer (IARC) or OSHA as a definite or possible human cancer causing agent.

**CAS#:** Chemical Abstract Services Registry Number - A universally accepted numbering system for chemical substances.

**CBL:** Combustible - At temperatures between 100°F and 200°F chemical gives off enough vapor to ignite if a source of ignition is present as tested with a closed cup tester.

**CNS:** Central Nervous System depressant that reduces the activity of the brain and spinal cord.

**COR:** Corrosive - Causes irreversible injury to living tissue (e.g. burns).

**DESIGNATIONS:** Chemical and common names of hazardous ingredients.

**EIR:** Eye Irritant Only - Causes reversible reddening and/or inflammation of eye tissues.

**EXPOSURE LIMITS:** The time weighted average (TWA) airborne concentration at which most workers can be exposed without any expected adverse effects. Primary sources include ACGIH TLVs, and OSHA PELs.

**ACGIH:** American Conference of Governmental Industrial Hygienists

**CEILING:** "The concentration that should not be exceeded in the workplace during any part of the working exposure." Source, ACGIH

**OSHA:** Occupational Safety and Health Administration.

**PEL:** Permissible Exposure Limit - A set of time weighted average exposure values, established by OSHA, for a normal 8-hour day and a 40-hour work-week.

**PPM:** Parts per million - unit of measure for exposure limits.

**(S) SKIN:** Skin contact with substance can contribute to overall exposure.

**STEL:** Short Term Exposure Limit - Maximum concentration for a continuous 15-minute exposure period.

**TLV:** Threshold Limit Value - A set of time weighted average exposure limits, established by the ACGIH, for a normal 8-hour day and a 40-hour work-week.

**FBL:** Flammable - At temperatures under 100°F, chemical gives off enough vapors to ignite if a source of ignition is present as tested with a closed cup tester.

**HAZARDOUS INGREDIENTS:** Chemical substances that are determined to be potential health or physical hazards based on the criteria established in the OSHA Hazard Communication Standard - 29 CFR 1910.1200

**HTX:** Highly toxic - the probable lethal dose for a 70 kg (150 lb.) man, which may be approximated as less than 6 teaspoons (2 tablespoons)

**IRR:** Irritant - Causes reversible effects in living tissues (e.g. inflammation) - primarily skin and eyes.

**N/A:** Not Applicable - Category is not appropriate for this product.

**N/D:** Not Determined - Insufficient information to make a determination for this item.

**RTECS#:** Registry of Toxic Effects of Chemical Substances - an unreviewed listing of published toxicology data on chemical substances.

**SARA:** Superfund Amendment and Reauthorization Act - Section 313 designates certain chemicals for possible reporting for the Toxic Chemical Release Inventory.

**SEN:** Sensitizer - Causes allergic reaction after repeated exposure.

**TOX:** Toxic - The probable lethal dose for a 70 kg (150 kg) man is one ounce (2 tablespoons) or more.

### SECTION III: HEALTH HAZARD DATA

**ACUTE EFFECT:** An adverse effect on the human body from a single exposure with symptoms developing almost immediately after exposure or within a relatively short time.

**CHRONIC EFFECT:** Adverse effects that are most likely to occur from repeated exposure over a long period of time.

**EST'D PEL/TLV:** This estimated, time-weighted-average, exposure limit, developed by using a formula provided by the ACGIH, pertains to airborne concentrations from the product as a whole. This value should serve as guide for providing safe workplace conditions to nearly all workers.

**HMIS CODES:** Hazardous Material Identification System - a rating system developed, by the National Paint and Coating Association for estimating the hazard potential of a chemical under normal workplace conditions. These risk estimates are indicated by a numerical rating given in each of three hazard areas (Health/ Flammability/Reactivity) ranging from a low of zero to a high of 4. The presence of a chronic hazard is indicated by a "YES". Consult HMIS training guides for Personal Protection letter codes, which indicate necessary protective equipment.

**PRIMARY ROUTE OF ENTRY:** The way one or more hazardous ingredients may enter the body and cause a generalized systemic or specific-organ toxic effect.

**ING:** Ingestion - A primary route of exposure through swallowing of material.

**INH:** Inhalation - A primary route of exposure through breathing of vapors.

**SKIN:** A primary route of exposure through contact with the skin.

### SECTION IV: SPECIAL PROTECTION INFORMATION

Where respiratory protection is recommended, use only MSHA and NIOSH approved respirators and dust masks.

**MSHA:** Mine Safety and Health Administration

**NIOSH:** National Institute for Occupational Safety and Health.

### SECTION V: PHYSICAL DATA

**EVAPORATION RATE:** Refers to the rate of change from the liquid state to the vapor state at ambient temperature and pressure in comparison to a given substance (e.g. water).

**pH:** A value representing the acidity or alkalinity of an aqueous solution (Highly Acidic pH = 1; Neutral pH = 7; Highly Alkaline pH = 14)

**VOC CONTENT:** The percentage or amount in pounds per gallon of the product that is regulated as a Volatile Organic Compound under the Clean Air Act of 1990 and various state jurisdictions.

**SOLUBILITY IN WATER:** A description of the ability of the product to dissolve in water.

### SECTION VII: REACTIVITY DATA

**HAZARDOUS DECOMPOSITION:** Breakdown products expected to be produced upon product decomposition by extreme heat or fire.

**INCOMPATIBILITY:** Keep product away from listed substances or conditions to prevent hazardous reactions.

**POLYMERIZATION:** Indicates the tendency of the product's molecules to combine with themselves in a chemical reaction releasing excess pressure and heat.

**STABILITY:** Indicates the susceptibility of the product to decompose spontaneously and dangerously.

### SECTION VIII: SPILL AND DISPOSAL PROCEDURES

**RCRA WASTE NOS:** RCRA (Resource Conservation and Recovery Act) waste codes (40 CFR 261) applicable to the disposal of spilled or unusable product from the original container.

### SECTION X: TRANSPORTATION DATA

**CWA:** Clean Water Act - Federal law that regulates chemical releases to bodies of water.

**RQ:** Reportable Quantity - The amount of the specific ingredient that, when spilled to the ground and, can enter a storm sewer or natural watershed, must be reported to the National Response Center, and other regulatory agencies.

**TSCA:** Toxic Substances Control Act - A federal law requiring all commercial chemical substances to appear on an inventory maintained by the EPA.

### DISCLAIMER

All statements, technical information, and recommendations contained herein are based on available scientific tests or data that we believe to be reliable. The accuracy and completeness of such data are not warranted or guaranteed. We cannot anticipate all conditions under which this information and our products, or the products of other manufacturers in combination with our products, may be used. Acuity Specialty Products Group assumes no liability or responsibility for loss or damage resulting from the improper use or handling of our products, from incompatible product combinations, or from the failure to follow instructions, warnings, and advisories in the product label and Material Safety Data Sheet

(rev 06/02)